

Chemplast Sanmar Limited

Melavanjore Village T R Pattinam Panchayat

Karaikal Plant:

Nagore 611 002 India

CSL/KKL/EN/MOEF&CC/2025/OCT/499 27 OCT 2025

Custom Manufactured Chemicals Division (CMCD)

Deputy Director General of Forests

Ministry of Environment, Forest and Climate Change (MoEF&CC)

Integrated Regional Office, 1st Floor, Additional Office Block for GPOA

Shastri Bhawan, Haddows Road, Nungambakkam, Chennai - 600006, Tamilnadu

Tel + 91 4365 256 475/ 476 E-mail: csl@sanmargroup.com www.chemplastsanmar.com cln L24230TN1985PLC011637

Respected Sir/Madam,

<u>Subject:</u> Submission of Half-Yearly Compliance Status Report on Environmental Clearance (EC) given by Ministry of Environment, Forest and Climate Change (MoEF&CC) -reg. Reference: MoEF&CC EC/File No.: IA-J-11011/119/2022-IA-II(I) dated 24 MAY 2024

With reference to the above-mentioned subject, please find the enclosed compliance status report on the conditions contained in the MoEF&CC's EC "Custom Manufactured Chemicals Division (CMCD) of M/s. Chemplast Sanmar Limited at Melavanjore Village, T.R. Pattinam, Karaikal, Puducherry U.T." for the period from APRIL 2025 TO SEPTEMBER 2025.

We have not commenced the project implementation activities which are mentioned in Environmental Clearance. We will submit the detailed Compliance Status Report once the project (i.e. construction) is started.

Thanking you and assuring our best cooperation always,

Yours faithfully,

For Chemplast Sanmar Limited,

S Mathiyanan

Senior Vice President - Operations

Enclosures: As mentioned above

Copy to:

The Member Secretary
Puducherry Pollution Control Committee
3rd Floor, PHB Building, Anna Nagar
Puducherry - 605005

Regd Office: 9 Cathedral Road Chennai 600 086 India



COMPLIANCE STATUS

Subject/Proposal name:

Proposed Project for Custom Manufactured Chemicals Division (CMCD) of M/s. Chemplast Sanmar Limited at Melavanjore Village, T. R. Pattinam, Karaikal, Puducherry U.T.

Reference:

Environmental Clearance/File No.: IA-J-11011/119/2022-IA-II(I) dated 24 MAY 2024

PRESENT STATUS OF THE PROJECT

The said project namely "Custom Manufactured Chemicals Division (CMCD) of M/s. Chemplast Sanmar Limited at Melavanjore Village, T. R. Pattinam, Karaikal, Puducherry U.T." is in Detailed Engineering phase and not in operation

Conditions and Environmental Safeguards:

#	Conditions description	Compliance status
1 1.1	Specific EC Conditions for (Synthetic Organic Chemicals Industry) Specific conditions: Stack height of 40 m shall be provided to LSHS fired boiler 40 TPH and stack height of 10 m shall be provided to HSD fired TFH 2,00,000 Kcal/hr as per CPCB norms. Position the DG set so that impact on receptor is minimal. Stack of adequate height shall be provided to DG set of 2000 KVA as per CPCB guidelines	Agree to comply. Stack height will be provided as per CPCB norms.
1.2	Two stage water and alkali Scrubbers system shall be provided to control process emissions viz., HCl and SO2. Two stage scrubber with Sodium Hypo Chlorite and Caustic soda along with stack of adequate height shall be provided to control process emission namely HCN. Wet scrubber along with stack of adequate height shall be provided to control process emission viz. NH3. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards	Agree to comply. -Required scrubbers along with a stack of adequate height will be provided to control process emission -The scrubbing media will be sent to ETP for treatment -Efficiency of scrubber will be monitored regularly and emission levels will be maintained within prescribed standards
1.3	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odour management plan shall be implemented	Agree to comply. Fugitive emissions will be regularly monitored, and emission levels/odour will be maintained within prescribed standards
1.4	The total fresh water requirement from the existing desalination plant shall not exceed 1279 m3/day	Agree to comply. Water requirement will be met from existing Desalination Plant and will not exceed 1,279 m3/day
1.5	NOC from the concerned Authority shall be obtained before start of the construction of plant	Agree to comply. NOC will be obtained before the start of

	and drawing water from desalination water source. State Pollution Control Board shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission	the construction of the plant and drawing water from Desalination Plant. After with CTO will be obtained from Puducherry Pollution Control Committee (PPCC)
1.6	Industrial Effluent of waste water shall not exceed 1115 KLD. Effluent shall be treated in proposed ETP of Capacity: 2000 KLD) followed by RO system. High TDS effluent stream shall be treated though MEE followed by ATFD to achieve "Zero Liquid Discharge". 25 KLD Sewage will be generated from Domestic purpose shall be treated in Proposed STP (Capacity: 30 KLD) and further treated Sewage shall be used for horticulture purpose. Cyanide effluent treatment stream shall be treated in the dedicated treatment unit to ensure proper destruction of the cyanide, if any	Agree to comply. -Effluent generation will not exceed the prescribed limits and will be treated in ETP & RO System -High TDS effluent will be treated though MEE followed by ATFD and "Zero Liquid Discharge" will be achieved -Sewage generated will be treated in the STP and the outlet will be used for the Green Belt -Cyanide effluent will be treated in dedicated units to ensure proper destruction
1.7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees	Agree to comply. Required training (visual reality) will be given to all employees on safety and health aspects of chemicals handling
1.8	The green belt of at least 5 m-10 m width shall be developed over an area of 10,705 m2 (34% of the total project area) with tree density @ 2500 trees per hectares, mainly along the plant periphery. Indigenous species shall only be developed as part of greenbelt and non-indigenous/alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 variety of species as a part of greenbelt. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year	Agree to comply. -Adequate Green belt will be developed along the plant periphery. -Selection of plant species will be as per the CPCB guidelines in consultation with the DFO -The budget earmarked for the plantation will be kept in a separate account and will be audited annually. We will submit the audited statement annually along with required proof
1.9	A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring	Agree to comply. -A separate Environmental Management Cell equipped with full-fledged laboratory facilities will be established to carry out the Environmental management and monitoring functions

	functions by engaging Functional Compliance Officers—Strategic Business Unit Compliance Officers—Unit Head—Business head—whole time director EHS—Board of director. In addition to this, one safety & health officer as per the qualification given in Factories Act, 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year	-A Safety & Health officer as per the qualification given in Factories Act, 1948 will be engaged -Audited statement of amount spent towards the engagement of qualified people will be submitted to the Regional Office of MoEF&CC annually
1.10	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP Rs. 1105.5 lakh (Capital cost) and 650.0 lakh per annum (Recurring cost)] shall be kept in a separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year	Agree to comply. -We will comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project will be implemented -The budget proposed under EMP will be kept in a separate account and will be audited annually -Audited statement along with proof of implementation will be submitted to the Regional Office of MoEF&CC annually
1.11	All the hazardous waste shall be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or sent for coprocessing. Solid waste shall be segregated into dry and wet garbage at site in accordance to the Solid Waste Management Rules, 2016. Wet garbage shall be converted into compost and used as manure for greenbelt development	Agree to comply. -All the hazardous waste will be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 -Solid waste will be segregated into dry and wet garbage at site in accordance with the Solid Waste Management Rules, 2016
1.12	As committed, PP shall not manufacture banned pesticide	Agree to comply. We will not manufacture banned pesticide
1.13	Monitoring of the compliance of EC conditions shall be submitted with third party audit every year	Agree to comply. Compliance of EC conditions will be submitted with third party audit every year
1.14	As proposed, an amount of 3.0 Crores lakhs shall be allocated towards CER	Agree to comply
1.15	The PP shall utilize modern technologies for	Agree to comply.

	capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard	We will try to utilize the modern technologies for capturing the carbon emitted
1.16	The project proponent shall comply with the environment norms for 'synthetic organic chemicals' as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21st July, 2010 and Pesticide Industry vide GSR 446 (E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986	Agree to comply. We will comply with the environment norms for 'synthetic organic chemicals' as notified by MoEF&CC
1.17	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred	Agree to comply with the rules and guidelines under the MSIHC Rules, 1989 (as amended from time to time)
1.18	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out	Agree to comply. VOCs & Fugitive emissions will be controlled with effective chillers and regular monitoring of VOCs will be carried out
1.19	PP shall provide adequate chlorine handling system with hood, suction device followed by scrubber and chlorine detector and alert system	Agree to comply. Adequate Chlorine handling system with hood, suction device followed by scrubber, chlorine detector and alert system will be provided
1.20	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report	Agree to comply. -The storage of raw material will be bare minimum with respect to quantity -Quantity and days of storage will be submitted to the Regional Office of MoEF&CC and PPCC along with the compliance report
1.21	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for	Agree to comply. -OHC for surveillance of the worker's health will be set up and the health data will be used in deploying the duties of the workers

	personal protection	-Employees will be provided with required safety kits/personal protective equipments
1.22	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies	Agree to comply. -Required training (visual reality) will be given to all employees on safety and health aspects of chemicals handling -Action plan for mitigation measures will be implemented based on the risk assessment studies
1.23	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms	Agree to comply. Fire-fighting system will be installed as per the norms
1.24	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/any wastewater shall not be allowed to mix with storm water	Agree to complyStorm water from the roof top will be harvested in the premises and used for various industrial processes in the unit -No recharge will be permitted within the premises -Process effluent will not be allowed to mix with storm water
1.25	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises	Agree to comply. -Continuous online monitoring system for stack emissions will be installed for measurement of flue gas discharge & the pollutants concentration and the data to be transmitted to the CPCB and PPCC servers -For online continuous monitoring of effluent, we will install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises
1.26	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation	Agree to comply. Required waste minimization measures will be undertaken during the operational phase
1.27	No banned chemicals shall be manufactured by the PP. No banned raw materials shall be used in the unit. The PP shall adhere to the notifications/guidelines of the Government in this regard	Agree to comply. No banned chemicals or raw materials will be used in our unit and will adhere to the notifications & guidelines of the Government
1.28	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw	Agree to comply. Adequate space inside the plant

	materials and finished products and no parking to be allowed outside on public places	premises will be earmarked for parking of vehicles (raw materials & finished products) and no parking will be done outside on public places
1.29	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Chemicals shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment	Agree to comply. -Raw materials will be stored either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles will be constructed over impervious soil with catch pits to trap runoff material -Chemicals will be stored in covered sheds and wind breaking walls or curtains will be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads will be paved -APCD will be interlocked with process plant for shutdown in case of operational failure
1.30	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the sixmonthly compliance report being submitted to concerned authority	Agree to comply. Awareness will be created among the people working within the project area on the ban of Single Use Plastic
1.1	Standard EC Conditions for (Synthetic organic chemicals industry) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Agree to comply. No further expansion in the plant other than mentioned in the EC will be carried out without prior approval from the MoEF&CC
1.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts	Agree to comply. We will comply with the guidelines issued under the MSIHC Rules, 1989, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996 and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016

1.3	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	Agree to comply. The energy source for lighting will be LED based for energy conservation and environment betterment
1.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Agree to comply. Noise levels in and around the plant area will be kept within the standards by providing required noise control measures
1.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment	Agree to comply. CSR activities will be undertaken by involving local villages & administration as per the CSR procedure established by the company
1.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose	Agree to comply. Sufficient funds will be allotted to implement the conditions stipulated by MoEF&CC and the earmarked funds will not be diverted for any other purpose
1.7	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal	Complied. A copy of EC was sent to T. R. Pattinam Commune Panchayat on 29 MAY 2024 via Letter No.: CSL/KKL/EN/CMCD/2024/ MAY/341 -Copy of the letter attached as Annexure
1.8	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company	Agree to comply
1.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended	Agree to comply

	subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail	
1.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry	Complied. Information provided to the public that we have been accorded EC by the Ministry through advertisement in local newspapers and copy of the same was forwarded to the Reginal Office on 30 MAY 2024 via Letter No.: CSL/KKL/EN/CMCD/2024/MAY/342 -Copy of the newspaper publications & the letter to MoEF&CC is attached as Annexure
1.11	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project	Agree to comply
1.12	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project	Noted

Thanking you,

Yours faithfully, For Chemplast Sanmar Limited,

S.Mathivanan

Senior Vice President – Operations



Chemplast Sanmar Limited

Karaikal Plant:
Melavanjore Village T R Pattinam Panchayat
Nagore 611 002 India
Tel + 91 4365 256 475/ 476
E-mail: csl@sanmargroup.com
www.chemplastsanmar.com
cln L24230TN1985PLC011637

CSL/KKL/EN/CMCD/2024/MAY/341 29 MAY 2024 CMCD Plant

The Commissioner

T.R. Pattinam Commune Panchayat
National Highway 45A, Tirumalairayan Pattinam
Karaikal Region – 609606
Puducherry U.T.

Respected Sir,

<u>Subject:</u> Submission of a Environmental Clearance (EC) copy for the proposed Custom Manufactured Chemicals Division (CMCD) Project from Ministry of Environment, Forest & Climate Change (MoEF&CC) -reg.

Reference: MoEF&CC EC/File No.: IA-J-11011/119/2022-IA-II(I) dated 24 MAY 2024

We wish to inform you that, we have obtained the Environmental Clearance (EC) from Ministry of Environment, Forest & Climate Change (MoEF&CC) for our proposed Custom Manufactured Chemicals Division (CMCD) Project.

As per the "Standard EC Conditions for (Synthetic organic chemicals industry)" of EC (Serial No.: 1.7) we have to sent a copy the clearance letter to concerned Panchayat.

Please find enclosed a copy of EC for the CMCD Project for your ready reference.

Kindly acknowledge the receipt.

Thanking you and assuring our best cooperation at all times.

Yours faithfully, for Chemplast Sanmar Limited,

S.Mathivanan

Senior Vice President – Operations

A 29/05/2024

Regd Office: 9 Cathedral Road Chennai 600 086 India





File No: IA-J-11011/119/2022-IA-II(I) Government of India

Ministry of Environment, Forest and Climate Change

IA Division



Date 24/05/2024



To,

Krishna Kumar Rangachari

CHEMPLAST SANMAR LIMITED

9 Cathedraql Road Chennai, TAMIL NADU - 600086

gss1@sanmargroup.com

Subject:

Proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited - Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to MoEF&CC vide proposal number IA/PY/IND3/432721/2023 dated 11/09/2023 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

- 2. The particulars of the proposal are as below:
- (i) EC Identification No.
- (ii) File No.
- (iii) Clearance Type
- (iv) Category
- (v) Project/Activity Included Schedule No.
- 50
- (vi) Sector
- (vii) Name of Project
- (viii) Name of Company/Organization

EC23A2002PY5108221N

IA-J-11011/119/2022-IA-II(1)

Fresh EC

A

5(b) Pesticides industry and pesticide specific intermediates (excluding formulations),5(f) Synthetic organic chemicals industry ,5(b) Pesticides industry and pesticide specific intermediates (excluding

formulations)

Industrial Projects - 3

Environment Clearance for Proposed Project for Custom Manufactured Chemicals Division (CMCD)

of Chemplast Sanmar Limited at Village

Melavanjore, T. R. Pattinam, Karaikal, Puducherry

UT by M/s. Chemplast Sanmar Limited CHEMPLAST SANMAR LIMITED

(ix) Location of Project (District, State)

KARAIKAL, PUDUCHERRY

(x) Issuing Authority

MoEF&CC

(xi) Applicability of General Conditions as per

EIA Notification, 2006

No

- 3. The Ministry of Environment, Forest and Climate Change has examined the proposal seeking environmental clearance for the proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited.
- 4. The project/activity is covered under Category 'A' of Item 5(b) Pesticides industry and pesticide specific intermediates (excluding formulations)), 5(f) Synthetic organic chemicals of Schedule of EIA Notification, 2006. Therefore, proposal was appraised by RAC (Industry -3).
- 5. The Standard ToR was issued by the Ministry vide letter No IA-J-11011/119/2022-IA-II(I) dated 7.12.2022. The PP applied for Environment Clearance in the Common Application Form and submitted EIA/EMP Report and other documents. The PP in the Form reported that it is a Fresh EC case. The proposal was placed in the EAC meetings held on 30th -31st December, 2023 and 13th -14th March, 2024, wherein the PP along with accredited Consultant, M/s. Kadam Environmental Consultants (NABET Accreditation Number NABET/EIA/2326/RA 0303 valid till 19/03/2026) made a detailed presentation on the salient features of the project.

6. The PP reported that the total land area is 31,485 m² for the proposed project and no R& R is involved in the Project. The details of products and capacity are as follows:

S. No.	Product Detail	apacity are as follows:	CAS No.	Quantity		Quantity			
1	Aromatic/ Aliphatic	4- (2-Aminoethyl)-2-methoxyphenol (A.E.Phenol)	554-52-9	1 294	5000 MTPA	5000 MTPA	In general intermediates		
		5-Ethyl-5-Phenyl Hydantoin	65567-32-0				for Agro &		
	Nitriles,	CO _X	83841-00-3				other		
		CP (4-t-butylphenylacetonitrile)	3288-99-1				industries		
2	Halogenation of	1-Bromo-3,5-dichlorobenzene. (DCBB)	19752-55-7		ili Arriv				
2	Aromatic/Aliphatic		5107-67-5						
	aniline	4-Chloro-2-Nitro benzoic acid	uro-2-Nitro henzoic acid 6280-88-2						
	diffino	2-Chloro-5-chloromethyl-1,3-thiazole (CCMT)	105827-91-6						
		Tetrachloro butyric Acid (TCBA)	4387-77-3						
		1-Chloro-3-Nitrobenzene	121-73-3						
		2,4,6- Trichloro Aniline	634-93-5						
		Pivaloyl Chloride	3282-30-2						
		5-Chloro Valeroyl Chloride	1575-61-7						
		4-FLUORO PHENYL ACETIC ACID	405-50-5						
		4-BROMO FLUOROBENZENE	460-00-4						
		3-Fluorotoluene	352-70-5						
		4-Fluorotoluene	352-32-9			H			
3	Aromatic	Ionophor	133338-85-9						
3	compounds	4-Bromo-2-Fluoro hydroxy biphenyl (BFB)	116831-27-7						
	Alkylations/	Para methyl phenyl chloride (PMPC)	4209-24-9				8		
	Acylations	Sodium 4-(2,4-dichlor M-Toluoyl)-1,3-d	172343-40-7						
	and its derivatives	methyl -5-pyrazolate (MY710Na)							
		4-chloro-butyl veratrate	69788-75-6						
		Ortho Nitro Anisole	91-23-6						
		Para Nitro Anisole	100-17-4						

	O-Chloro P-Nitro Toluene	121-86-8		
	3-Amino- 4- Chloro Benzoic Acid Methy Ester	140872-87-5		
	3-Amino 4-Methyl Benzoic Acid Isopropy Ester	121447-47-2	11	
	5-Amino-2-Methyl Benzene Sulphonic Acid Phenyl Ester	11089339-15-0		
	(3-Aminophenyl) benzenesulfonate	26408-93-5		
	4 -Amino Benzoic Acid Methyl Ester	619-45-4		
	2-FLUOROANISOLE	321-21-8		
	4-FLUOROANISOLE	459-60-9		
Sulphonamides, Amides,	2-Trifluoromethyl benzene sulfonamide (TBSA)	1869-24-5		
Imides & Amines	(4-methoxyphenyl)-N-methylpropan-2-amine [Mebamine]	22331-70-0		
	TR1400 ·	1078-19-9		
	2-Phenoxyethylamine	1758-46-9		
	TR1600	94133-84-3		
	Methyl carbazate	6294-89-9		
	Tetralone imine	79560-20-6		
	4-[[2-(4-chloro-2,6- dimethylphenyl)acetyl]methylamino]-1- methoxy-N-phenylpiperidin-4-carboxamide [Diamide]	1644459-63-1		
	Spiropidion (SPID)	1229023-00-0		
10	Sulfonamide	227605-94-9		
	· Himio Belliamileo	2835-68-9		
	P-Toluidine	106-49-0		
Alkaloids	5-CHLORO-8-HYDROXY-QUINOLINE (CHQ)	130-16-5		
	Phenylguanidine carbonate (PGC)	405095-33-2	47.8 may	
	Fe (III) Acetyl acetanoate	14024-18-1		i inga
		536-90-3		
Inorganic Metal Complexes	hexacyanide monohydrate]	Not reported		
(Electronic chemicals)	Cathode [Tetra Sodium Ferrous(II) hexacyanide decahydrate]	Not reported		

- 7. The PP reported that there is no violation case as per the Notification No. S.O. 804(E) dated 14.03.2017 and no direction is issued under E (P) Act/Air Act/Water Act.
- 8. PP informed that the proposed project site does not fall in CRZ line and it is 0.609 km away from CRZ III line. PP has submitted CRZ demarcation map in 1:4000 scale prepared by IRS Anna University.
- 9. The PP reported that there are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. lies within 10 km distance from the project site. Following water bodies are located in study area

S. No.	Sensitive	Ecological Name	of	feature	Distance (~km)	Direction	Reason	of
	Features	Locatio	n				Significance	

Water	courses /	water	Bay of Bengal	1.89	Е	Near to site with
bodies	Common		Puravadaiyanar River	0.4	N	study area
bottes			Arasalar River	7.28	N	
			Thirumalai Rajanai	4.0	N	
			River			

- 10. There are 3 numbers of the Schedule-1 Species within 10 km distance from the project site. Names of Schedule-1 Species are Indian Monitor Lizard, Olive ridley turtle, Eurasian Spoonbill for which conservation plan is prepared and submitted to Chief Wildlife Warden.
- 11. The PP reported that the Ambient air quality monitoring was carried out at eight (8) locations during 1st July to 30th September, 2023 and the baseline data indicates the ranges of average concentrations as: PM₁₀ (minimum 72 g/m³ to maximum 78 g/m³), PM_{2.5} (minimum 17 g/m³ to maximum 21 g/m³), SO₂ (minimum 8.7 g/m³ to maximum 10.1 g/m³), NO_x (minimum 13.6 g/m³ to maximum 19.4 g/m³), CO (minimum 0.75 g/m³ to maximum 0.96 g/m³) and HC (minimum 913 g/m³ to maximum 1051 g/m³). AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 8.503 g/m³, 0.122 g/m³ and 7.473 g/m³ with respect to PM₁₀, SO₂ and NO_X. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).
- 12. The PP reported that the total water requirement for proposed project will be 2409 KLD, of which fresh water requirement from the existing desalination plant will be 1279 KLD. 1115 KLD waste water will be generated from Industrial activity and it will be treated in the proposed ETP (Capacity: 2000 KLD) followed by recycling RO system and MEE with ATFD to achieve "Zero Liquid Discharge". 25 KLD Sewage will be generated and treated in the proposed STP (Capacity: 30 KLD). Treated Sewage will be used for horticulture purpose.
- 13. Power requirement for proposed project will be 500 kVA during construction phase and 5000 kVA during operation phase and will be met from Puducherry Electricity Department (PED). 2 DG sets of 2000 kVA will be used as standby during power failure. Stack (height: 30 m) will be provided as per CPCB norms to the proposed DG sets.
- 14. LSHS fired 40 TPH boiler and HSD fired 2,00,000 Kcal/hr Thermic Fluid Heater will be installed in the proposed project. The stack of 40 m height will be installed for controlling the particulate emissions within the statutory limit of 75 mg/Nm³ for the proposed boilers.

15. Details of Process Emissions Generation and its Management:

			Proposed	i Flue Gas Stack		D. H. C.I.DCM
Sr. No.	Source of Emission	No. of Stacks	Stack Height (m)	Stack Top Diameter (m)	Pollutant Expected	Detail of APCM
	DG Set (2000 KvA)	1	30	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
			30	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
2	DG Set (2000 KvA)	43	40	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
1	Boiler (40 TPH)	1	HU an I	A S T A L S T HA ARCTAIN	THE OWNER OF THE PERSON NAMED AND THE PERSON NAMED	Adequate Stack Height
1	Thermic Fluid Heater 2,00,000 Kcal/hr	1	10	0.5	PM, SO ₂ , NO _X	Adequate Stack Teight

Stack number	Nos. of Stacks	Stack	Stack Top	Pollutants	Air pollution control measures
Cittor Italia		Height in m	Diameter, m	expected	
Sarubbar-1	1	20	1	SPM, HCl, SOx,	Two stage wet alkali scrubber
Scriiooci-1				NOx	with stack
Carubbar 2	1-1:	20	1	SPM, HC1, SOx,	Two stage wet alkali scrubber
Schioder-2	1	-		NOx	with stack
Camphan 2		20	1	SPM, HCl, SOx,	Two stage wet alkali scrubber
	Stack number Scrubber-1 Scrubber-2 Scrubber-3	Scrubber-1 1 Scrubber-2 1	Scrubber-1 1 20 Scrubber-2 1 20	Scrubber-1 1 20 1 Scrubber-2 1 20 1	Stack number Nos. of Stacks Stack Height in m Diameter, m expected Scrubber-1 1 20 1 SPM, HCI, SOx, NOx Scrubber-2 1 20 1 SPM, HCI, SOx, NOx

					NOx	with stack
4	Scrubber-4	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
5	Scrubber-5	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
6	Scrubber-6	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
7	Scrubber-7	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
8	Scrubber-8	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
9	Scrubber-9	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
10	Scrubber-10	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
11	Scrubber-11	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
12	Scrubber-12	1	20	terren Inni	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
13	Scrubber-13	1	20	I W	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
14	Scrubber-14	T C	20		HCN, SOx, NOx, SPM	Two stage scrubber with Sodiun Hypo Chlorite and Caustic soda with stack
15	Scrubber-15	1	20		NH3, SOx, NOx, SPM	Wet scrubber with stack

16. Details of Solid Waste / Hazardous Waste Generation and its Management:

Α		一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	So	lid Waste	
Sr. No.	Type of Waste	Source	Waste Category		Disposal Method
	Municipal Solid Waste	Canteen, Office blocks	76.7.1		Shall be segregated into wet and dry waste as per the Solid Waste Management Rules, 2016 as amended from time to time. Wet waste shall be converted into compost at project site and compost shall be used as manure for the greenbelt development.
	Biomedical Wastes	On-site Occupational Health Centre	- Pavn	As & when generated	Shall be handled as per the Bio-Medical Waste Management Rules, 2016 as amended from time to time
	Used Lead Acid Batteries	Company owned vehicles, other devices (such as UPS) being operated within the site	-	100% buyback scheme implemented at site. No waste generated due to this	Shall be handled as per the Batteries (Management & Handling) Rules, 2010 as amended from time to time.
	Electronic wastes	Entire Site	-	As & when generated	Shall be handled as per the E-Waste (Management) Rules, 2016 as amended from time to time
	Construction and Demolition (C&D) Wastes	Entire Site		As & when generated	Shall be handled as per the Construction and Demolition Waste Management Rules, 2016 as amended from time to time
_	Plastic wastes	Entire Site (Office blocks,	-	As & when	Shall be handled as per the Plastic waste

		Canteen etc.		generated	(Management & Handling) Rules, 2016 as amended
	Non-Hazardous metallic scrap, wooden & paper	Entire Site	-	As & when generated	Sold to scrap dealers duly approved by the company
	DM plant spent	Demineralization (DM)	-	As & when generated	Sent to captive TSDF for disposal
	STP Sludge	Sewage treatment plant (of 30 KLD capacity)	-	2 MT	Will be used as manure for gardening
B. Sr. No.	Type of Waste	Source	Waste Category	Quantity	Disposal Method
10.	Contaminated Solvent	Production and/or industrial use of solvents.	20.1	7500 MT	Authorized recycler
		Production and/or industrial use of solvents	20.3	1000 MT	Authorized common hazardous waste incineration facility
	Used or Spent Oil		5.1	50 MT	Authorized recycler re-processors.
	Chemical Sludge from Waste water treatment	Purification of waste water in ETP.	35.3	12000 MT	Authorized common hazardous waste for land filling or to cement plants for coprocessing.
	Empty barrels contaminated with hazardous waste	Handling of hazardous chemicals and waste	33.1	50MT	Authorized recycler.
	Spent Catalyst / Carbon	Production	28.2	10MT	Authorized recycler.

- 17. The Budget earmarked towards the Environment Management Plan (EMP) is 1105.5 lakh (capital) and the Recurring Cost (operation and maintenance) will be about 650.0 lakh per annum. Industry proposes to allocate Rs 3.0 crore towards CER.
- 18. Industry will develop greenbelt in an area of 34% i.e., 10,705 m² out of total 31,485 m² area of the project.
- 19. The PP reported that PP reported that the public hearing is exempted as per the Para 7.III. Stage (3) (i) (b) of the EIA Notification, 2006 as unit is located in notified industrial area which is notified vide letter No. TRP/ CP/E1 /28/89 dated: 2.3.1990
- 20. The PP proposed to set up an Environment Management Cell (EMC) by engaging Functional Compliance Officers Strategic Business Unit Compliance Officers- Unit Head- Business head whole time director EHS Board of director for the functioning of EMC.
- 21. The PP submitted the Disaster Management Plan and On-site and Off-site Emergency Plans in the EIA report.
- 22. The estimated project cost is Rs 600.0 crores. Total Employment will be 20 persons as direct & 450-500 persons indirect during construction phase and 100-120 persons as direct & 175-200 persons indirect during operation phase.
- 23. PP vide letter dated 27.02.2024 submitted point wise ADS reply.

24. Deliberations by the EAC:

During deliberations, EAC discussed the following issues:

- · PP submitted the dimensions of rain water collection tank.
- \cdot PP submitted the undertaking regarding the greenbelt that PP propose to develop greenbelt in $10,705\text{m}^2$ which is 34% of the total project area of $31,485\text{ m}^2$. Around 2700 trees will be planted in 2 years at the capital cost of Rs. 9.45 Lakhs.
- · PP submitted the CER details

SI, No.	Activity	Village/Town Name	Α	Budget Amount Rs. in Crs.)
1.	Rooftop rain water harvesting with percolation well in Government Buildings like Govt School, Anganwadi and Panchayat Office etc. Cost of one RWH tank of 15 KL capacity, filtration unit and structure of Recharge Borewell- Rs. 5 Lakh Total no.of units planned to be installed in the villages — 12 nos. Thus, Total cost =Rs. 5 Lakh * 12 nos.= 60 Lakh Timeline for completion: Sep-27	Panangudi, Vadakkuvanjore	(CT),0	.6
2.	Rooftop solar panel Installation at Govt Buildings like Govt School, Anganwadi and Panchayat Office etc. Total 120 Kw of solar panels are planned to be installed in the villages Per KW cost of solar panel installation of Rs. 75,000/- Thus, total Cost=Rs. 75,000/- x 120 kw = Rs. 90 Lakh Timeline for completion: Sep-28	Panangudi, Vadakkuvanjore	(CT),0	
1.	Providing infrastructure for "Resource recovery from waste material/compactor" to nearby town panchayat Rs. 30 lakh per village, total 90 lakh for three villages for building/structures and associated equipment like compactor etc. to segregate useful resources from municipal waste Timeline for completion: Sep-28	Panangudi, Vadakkuvanjore	(CT),0	.9
	Community Tree Plantation at Govt School, Anganwadi and	Panangudi, Vadakkuvanjore	(CT),0	.2
	Solar street lights for self-sustaining Green technology 250 solar street lights of 100 Watt are planned to be provided in the nearby villages and road routes. Thus, total cost = 250 nos. x Rs. 15,000/- = Rs. 37,50,000/- + transportation cost = Rs. 40 Lakh Timeline for completion: Sep-28	Panangudi, Vadakkuvanjore	0.	.4
otal CI	ER Budget		3.	.0

[·] PP submitted the details of traffic study.

[·] PP submitted the emergency scrubbing for chlorine transportation through pipeline.

Chlorine is one of the raw materials required for the proposed Custom Manufactured Chemicals project of Chemplast Sanmar Limited.

Chlorine required for the above project is supplied through pipeline.

The following are the measures that will be incorporated in Chlorine transfer:

- o Chlorine transportation in gaseous pipeline
- o Pipeline thickness will be monitored once in 6 months and hydro testing in once in a year.
- o Chlorine monitors will be installed in the pipeline route.
- o Pipeline will be connected to two stage scrubbing system with automated cut off valves that will be operated upon chlorine sensing value. Brief drawing attached.
- · PP submitted the details of retention period in biological system of ETP.
- · PP submitted the details of hazardous waste generated in ETP and ATFD:

Sr.	Type of Waste	Source	Category	Quantity	
	Chemical Sludge from Waste water treatment (ETP sludge)	Purification of waste water in ETP.	35.3		Authorized common hazardous waste for land filling at TSDI or to cement plants for co-processing. The Committee suggested that PP shall check the purity and possibility of co-processing of ETP sludge otherwise the same shall be disposed of at TSDF.
	Chemical Sludge from Waste water treatment (ATFD salt – low chloride salt)	Purification of waste water in ETP/MEE	35.3		Authorized common hazardous waste for co-processing in cement industry/fly ash brick manufacturing etc. The Committee suggested that PP shall check the purity and possibility of co-processing of ATFD salt – low chloride sall otherwise the same shall be disposed of at TSDF. The committee also suggested that ATFD salt shall not be used fo co-processing and fly ash brick manufacturing.
	Chemical Sludge from Waste water treatment (ATFD salt)	Purification of waste water in ETP/MEE	35.3	5000 MT	Authorized common hazardous waste for land filling a TSDF.

The committee was satisfied with the response provided by PP on above information. Further, Committee desired to submit the above information in writing. Accordingly, PP has submitted the desired information and EAC found the information/commitments satisfactory.

The EAC deliberated the Onsite and Offsite Emergency plans and also the various mitigation measures proposed during the implementation of the project and advised the PP to implement the provisions of the Rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, as amended from time to time.

The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC found the proposal in order and recommended for the grant of environmental clearance.

The EAC is of the view that its recommendation and grant of environmental clearance by the regulatory authority to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The PP shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

- 25. Based on the proposal submitted by the project proponent and recommendations made by EAC in its 77th EAC meeting on 14th March, 2024, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project "Proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited" under the provisions of the EIA Notification, 2006, and subsequent amendments therein, subject to specific terms and conditions as mentioned in Annexure -1 and Standard EC Conditions.
- 26. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
- 27. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- 28. The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
- 29. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
- 30. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 31. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 32. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 33. This issues with the approval of the Competent Authority

Copy To

- 1. The Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change Integrated Regional Office, Ist and IInd Floor, Handloom Export Promotion Council, 34, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 2. The Secretary, Department of Science, Technology & Environment, Govt. of Puducherry, III Floor, PHB Building, Anna Nagar (Near Indira Gandhi Statue), Puducherry 605005.

- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 32.
- 4. The Member Secretary, Puducherry Pollution Control Committee (PPCC), 3rd Floor, Housing Board Complex, Anna Nagar, Puducherry 605 005.
- 5. The Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001.
- 6. The District Collector, Duplex St, Karaikal, Puducherry 609602.

Annexure 1

Specific EC Conditions for (Synthetic Organic Chemicals Industry)

1. Specific Conditions

S. No	EC Conditions
1.1	Stack height of 40 m shall be provided to LSHS fired boiler 40 TPH and stack height of 10 m shall be provided to HSD fired TFH 2,00,000 Kcal/hr as per CPCB norms. Position the DG set so that impact on receptor is minimal. Stack of adequate height shall be provided to DG set of 2000 KVA as per CPCB guidelines.
1.2	Two stage water and alkali Scrubbers system shall be provided to control process emissions viz., HCl and SO ₂ . Two stage scrubber with Sodium Hypo Chlorite and Caustic soda along with stack of adequate height shall be provided to control process emission namely HCN. Wet scrubber along with stack of adequate height shall be provided to control process emission viz. NH ₃ . The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
1.3	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odour management plan shall be implemented.
1.4	The total fresh water requirement from the existing desalination plant shall not exceed 1279m3/day.
1.5	NOC from the concerned Authority shall be obtained before start of the construction of plant and drawing water from desalination water source. State Pollution Control Board shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.
1,6	Industrial Effluent of waste water shall not exceed 1115 KLD. Effluent shall be treated in proposed ETF of Capacity: 2000 KLD) followed by RO system. High TDS effluent stream shall be treated though MEE followed by ATFD to achieve "Zero Liquid Discharge". 25 KLD Sewage will be generated from Domestic purpose shall be treated in Proposed STP (Capacity: 30 KLD) and further treated Sewage shall be used for horticulture purpose. Cyanide effluent treatment stream shall be treated in the dedicated treatment unit to ensure proper destruction of the cyanide, if any.

S. No	EC Conditions
	sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
1.16	The project proponent shall comply with the environment norms for 'synthetic organic chemicals' as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21 st July, 2010 and Pesticide Industry vide GSR 446 (E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986.
1.17	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.
1.18	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.
1.19	PP shall provide adequate chlorine handling system with hood, suction device followed by scrubber and chlorine detector and alert system.
1.20	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
1.21	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
1.22	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.
1.23	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
1.24	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
1.25	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
1.26	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of

S. No	EC Conditions
1.7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
1.8	The green belt of at least 5 m-10m width shall be developed over an area of 10,705 m ² (34% of the total project area) with tree density @ 2500 trees per hectares, mainly along the plant periphery. Indigenous species shall only be developed as part of greenbelt and non-indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 variety of species as a part of greenbelt. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.
1.9	A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions by engaging Functional Compliance Officers - Strategic Business Unit Compliance Officers-Unit Head- Business head – whole time director EHS – Board of director. In addition to this, one safety & health officer as per the qualification given in Factories Act, 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1 st July of every year for the activities carried out during the previous year.
1.10	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP Rs. 1105.5 lakh (Capital cost) and 650.0 lakh per annum (Recurring cost)] shall be kept in a separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.
1.11	All the hazardous waste shall be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or sent for coprocessing. Solid waste shall be segregated into dry and wet garbage at site in accordance to the Solid Waste Management Rules, 2016. Wet garbage shall be converted into compost and used as manure for greenbelt development.
1.12	As committed, PP shall not manufacture banned pesticide.
1.13	Monitoring of the compliance of EC conditions shall be submitted with third party audit every year.
1.14	As proposed, an amount of 3.0 Crores lakhs shall be allocated towards CER.
1.15	The PP shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon

S. No	EC Conditions
-	active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.
1.27	No banned chemicals shall be manufactured by the PP. No banned raw materials shall be used in the unit. The PP shall adhere to the notifications/guidelines of the Government in this regard.
1.28	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places.
1.29	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Chemicals shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
1.30	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority

Standard EC Conditions for (Synthetic organic chemicals industry)

1.

S. No	EC Conditions
1.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
1.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
1.3	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
1.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment

S. No	EC Conditions
	(Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
1.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
1.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
1.7	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
1.8	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
1.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.
1.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
1.11	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
1.12	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

S. No.	Particulars	Details					
a.	Details of the Project	Environment Clearance for Proposed Project for Custom Manufactured Chem Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited					
b.	Latitude and Longitude of the project site	10.84349999953872,79.83643114346175 10.84542	2264965754,79.83795187286358				
		Nature of Land involved	Area in Ha				
	Land Requirement (in	Non-Forest Land (A)	3.1485				
c.		Forest Land (B)	0				
		Total Land (A+B)	3.1485				
d.	Date of Public Consultation	Public consultation for the project was held on					
c.	Rehabilitation and Resettlement (R&R) involvement	NO					
f.	Project Cost (in lacs)	60000					
g.	EMP Cost (in lacs)	1105.5	100 mg/mm				
h. ,	Employment Details	120					

Validity unknown
Digitally Signed by MINA N Singh
Member Secretary, MeEFCC (EC)

Date: 24/05/2024



Chemplast Sanmar Limited

CIN L24230TN1985PLC011637

CSL/KKL/EN/CMCD/2024/MAY/342 30 MAY 2024 CMCD Plant

Deputy Director General of Forests

Ministry of Environment, Forest and Climate Change (MoEF&CC) Integrated Regional Office 1st Floor, Additional Office Block for GPOA Shastri Bhawan, Haddows Road Nungambakkam, Chennai - 600006 Tamilnadu

Karaikal Plant: Melavanjore Village T R Pattinam Panchayat Nagore 611 002 India Tel + 91 4365 256 475/ 476 E-mail: csl@sanmargroup.com www.chemplastsanmar.com

Respected Sir,

Subject: Submission of the advertisement copies in two local newspapers & a copy of letter submitted to concerned Panchayat with clearance letter for the proposed Custom Manufactured Chemicals Division (CMCD) Project -reg.

Reference: MoEF&CC EC/File No.: IA-J-11011/119/2022-IA-II(I) dated 24 MAY 2024

With reference mentioned above, as per the "Standard EC Conditions for (Synthetic organic chemicals industry)" of EC (Serial No.: 1.7 & 1.10) we would like to confirm that,

- A copy of the clearance letter was sent to concerned Panchayat
- Public was informed that 'the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/' through advertisements made in two local newspapers

Thanking you and assuring our best cooperation at all times.

Yours faithfully,

for Chemplast Sanmar Limited,

Senior Vice President - Operations

Enclosures:

- Copies of advertisement made in two local newspapers (English: The New Indian Express & Tamil: Dinamani)
- Copy of letter submitted to concerned Panchayat (T.R. Pattinam Commune Panchayat) with clearance letter

Regd Office: 9 Cathedral Road Chennai 600 086 India





Burnnahala nend

பொது அநிவிப்பு

மேலவாஞ்சூர், திருமலைராபன் பட்டினம், காரைக்கால், புதுச்சேரி--இல் GMCD தொழிற்சாலை ஒன்றை நிறுவவதற்கு கெம்ப்ளாஸ்ட் சன்மார் லிமிடெட்நிறுவனத்திற்கு சுற்றுச்சூழல் வனமற்றும் பருவநிலை மாற்றம் அமைச்சகம், IAபிரிவு இந்திரா பர்யவரன் பவன், ஜோர்பாக் சாலை, புது டில்லி--110003) 24/05/2024--ம் தேதியிட்ட கோப்பு எண் IA-J-11011/119/2022-1A-II(I) மூலம் சுற்றுச்சூழல் அனுமதி வழங்கியுள்ளது என்று பொதுமக்களுக்கு தெரிவிக்கப்படுகிறது.

சுற்றுச்சூழல் அனுமதியின் நகல் புதுச்சோி மாசு கட்டுப்பாட்டு குழுமத்திடனும் மற்றும் சுற்றுச்சூழல் வன மற்றும் பருவநிலை, மாற்றம் அமைச்சகத்தின் https://parivesh.nic.in என்ற இணையதளத்திலும் பார்க்கலாம்.

இந்திய அரசின் சுற்றுச்சூழல், வனம் மற்றும் பருவநிலை மாற்றம் அமைச்சகத்தின் அறிவறுத்தல்களின்படி, திட்ட முன்மொழிபவர் கடைபிடிக்க வேண்டிய நிபந்தனையின்படி இந்த அறிவிப்பு வெளியிடப்படுகிறது.

கெம்ப்ளாஸ்ட் சன்மார் லிமிடெட் 9, கதிட்ரல் சாலை, சென்னை -600086

Date: 29.06.2024

Page: 3



THE NEW INDIAN EXPRESS

Nagapattiran Edition

PUBLIC NOTICE

The public are informed that Environmental Clearance (EC) has been accorded by Ministry of Environment, Forest and Climate Change (MoEF&CC), IA Division (Indira Paryavaran Bhawan, Jorbagh Road, New Delhi-110003) vide File No.: IA-J-11011/119/2022-IA-II(I) dated 24/05/2024 for setting up of a Custom Manufactured Chemicals Division (CMCD) Plant at Melavanjore, T.R.Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited.

The copy of the Environmental Clearance is available with Puducherry Pollution Control Committee (PPCC) and may also be seen at the website of Ministry of Environment, Forest and Climate Change at: https://parivesh.nic.in.

This notice is issued in accordance with the condition to be complied with by the project proponent as per the instructions of the Ministry of Environment, Forest and Climate Change, Government of India.

Chemplast Sanmar Limited 9, Cathedral Road, Chennai-600086

Date: 29.05.2024

GA SAA



Chemplast Sanmar Limited

CSL/KKL/EN/CMCD/2024/MAY/341 29 MAY 2024 CMCD Plant

Karaikal Plant: Melavanjore Village T R Pattinam Panchayat Nagore 611 002 India Tel + 91 4365 256 475/ 476 E-mail: csl@sanmargroup.com www.chemplastsanmar.com CIN L24230TN1985PLC011637

The Commissioner T.R. Pattinam Commune Panchayat National Highway 45A, Tirumalairayan Pattinam Karaikal Region - 609606 Puducherry U.T.

Respected Sir,

Subject: Submission of a Environmental Clearance (EC) copy for the proposed Custom Manufactured Chemicals Division (CMCD) Project from Ministry of Environment, Forest & Climate Change (MoEF&CC) -reg.

Reference: MoEF&CC EC/File No.: IA-J-11011/119/2022-IA-II(I) dated 24 MAY 2024

We wish to inform you that, we have obtained the Environmental Clearance (EC) from Ministry of Environment, Forest & Climate Change (MoEF&CC) for our proposed Custom Manufactured Chemicals Division (CMCD) Project.

As per the "Standard EC Conditions for (Synthetic organic chemicals industry)" of EC (Serial No.: 1.7) we have to sent a copy the clearance letter to concerned Panchayat.

Please find enclosed a copy of EC for the CMCD Project for your ready reference.

Kindly acknowledge the receipt.

Thanking you and assuring our best cooperation at all times.

Yours faithfully, for Chemplast Sanmar Limited,

Senior Vice President - Operations

A 29/05/2024

Regd Office: 9 Cathedral Road Chennal 600 086 India





File No: IA-J-11011/119/2022-IA-II(I) Government of India Ministry of Environment, Forest and Climate Change IA Division



Date 24/05/2024

To,

Krishna Kumar Rangachari

CHEMPLAST SANMAR LIMITED

9 Cathedraql Road Chennai, TAMIL NADU - 600086

gss1@sanmargroup.com

Subject:

Proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited - Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to MoEF&CC vide proposal number IA/PY/IND3/432721/2023 dated 11/09/2023 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below:

(v) Project/Activity Included Schedule No.

(i) EC Identification No.

(ii) File No.

(iii) Clearance Type

(vii) Name of Project

(iv) Category

(vi) Sector

EC23A2002PY5108221N

IA-J-11011/119/2022-IA-II(1) Fresh EC

Λ

5(b) Pesticides industry and pesticide specific intermediates (excluding formulations),5(f) Synthetic organic chemicals industry,5(b) Pesticides industry and pesticide specific intermediates (excluding

formulations)

Industrial Projects - 3

Environment Clearance for Proposed Project for Custom Manufactured Chemicals Division (CMCD)

of Chemplast Sanmar Limited at Village

Melavanjore, T. R. Pattinam, Karaikal, Puducherry

UT by M/s. Chemplast Sanmar Limited

(viii) Name of Company/Organization

CHEMPLAST SANMAR LIMITED

(ix) Location of Project (District, State)

KARAIKAL, PUDUCHERRY

(x) Issuing Authority

MoEF&CC

(xi) Applicability of General Conditions as per

No

EIA Notification, 2006

- 3. The Ministry of Environment, Forest and Climate Change has examined the proposal seeking environmental clearance for the proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited.
- 4. The project/activity is covered under Category 'A' of Item 5(b) Pesticides industry and pesticide specific intermediates (excluding formulations)), 5(f) Synthetic organic chemicals of Schedule of EIA Notification, 2006. Therefore, proposal was appraised by RAC (Industry -3).
- 5. The Standard ToR was issued by the Ministry vide letter No IA-J-11011/119/2022-IA-II(I) dated 7.12.2022. The PP applied for Environment Clearance in the Common Application Form and submitted EIA/EMP Report and other documents. The PP in the Form reported that it is a Fresh EC case. The proposal was placed in the EAC meetings held on 30th -31st December, 2023 and 13th -14th March, 2024, wherein the PP along with accredited Consultant, M/s. Kadam Environmental Consultants (NABET Accreditation Number NABET/EIA/2326/RA 0303 valid till 19/03/2026) made a detailed presentation on the salient features of the project.

6. The PP reported that the total land area is 31,485 m² for the proposed project and no R& R is involved in the Project. The

details of products and capacity are as follows:

	Product Detail	apacity are as follows:	CAS No.	Existing	Proposed		Uses
No.			Park In	Quantity	Quantity		
1	Aromatic/ Aliphatic	4- (2-Aminoethyl)-2-methoxyphenol (A.E.Phenol)	554-52-9		5000 MTPA	5000 MTPA	In genera intermediate
- 1	substituted	5-Ethyl-5-Phenyl Hydantoin	65567-32-0				for Agro &
- 1	Nitriles,	COX	83841-00-3				other industries
		CP (4-t-butylphenylacetonitrile)	3288-99-1				maustrics
	Halogenation of	1-Bromo-3,5-dichlorobenzene. (DCBB)	19752-55-7				
	Aromatic/Aliphatic		5107-67-5				
	aniline	4-Chloro-2-Nitro benzoic acid	6280-88-2				
1		2-Chloro-5-chloromethyl-1,3-thiazole (CCMT)	105827-91-6				
		Tetrachloro butyric Acid (TCBA)	4387-77-3		els ha		
- 1		1-Chloro-3-Nitrobenzene	121-73-3				
		2,4,6- Trichloro Aniline	634-93-5				
		Pivaloyl Chloride	3282-30-2				
		5-Chloro Valeroyl Chloride	1575-61-7				
		4-FLUORO PHENYL ACETIC ACID	405-50-5	100			
		4-BROMO FLUOROBENZENE	460-00-4				
		3-Fluorotoluene	352-70-5				
		4-Fluorotoluene	352-32-9			-	
	Aromatic	Ionophor	133338-85-9				
- 1	compounds	4-Bromo-2-Fluoro hydroxy biphenyl (BFB)	116831-27-7				
- [Alkylations/	Para methyl phenyl chloride (PMPC)	4209-24-9				
- 1	Acylations	Sodium 4-(2,4-dichlor M-Toluoyl)-1,3-di	172343-40-7				
ľ	and its derivatives	methyl -5-pyrazolate (MY710Na)	69788-75-6	-			
		4-chioro-butyl veratrate	91-23-6	1			
		Ortho Nitro Anisole Para Nitro Anisole	100-17-4	1			

	O-Chloro P-Nitro Toluene	121-86-8		
-	3-Amino- 4- Chloro Benzoic Acid Methy	40872-87-5		
	3-Amino 4-Methyl Benzoic Acid Isopropyl Ester	21447-47-2		
	5-Amino-2-Methyl Benzene Sulphonie Acid Phenyl Ester	1089339-15-0		
	(3-Aminophenyl) benzenesulfonate	26408-93-5		
	4 -Amino Benzoie Acid Methyl Ester	619-45-4		
	2-FLUOROANISOLE	321-21-8		
	4-FLUOROANISOLE	459-60-9		
Sulphonamides, Amides,	2-Trifluoromethyl benzene sulfonamide (TBSA)	1869-24-5		
Imides & Amines		22331-70-0		
	TR1400 ·	1078-19-9		
	2-Phenoxyethylamine	1758-46-9		
9	TR1600	94133-84-3		
	Methyl carbazate	6294-89-9		
	Tetralone imine	79560-20-6		
	4-[[2-(4-chloro-2,6- dimethylphenyl)acetyl]methylamino]-1- methoxy-N-phenylpiperidin-4-carboxamide [Diamide]	1644459-63-1		
	Spiropidion (SPID)	1229023-00-0		
	Sulfonamide	227605-94-9		
	4-Amino Benzamide	2835-68-9	,	
	P-Toluidine	106-49-0		
Alkaloids	5-CHLORO-8-HYDROXY-QUINOLINE (CHQ)	130-16-5		
	Phenylguanidine carbonate (PGC)	405095-33-2		
	Fe (III) Acetyl acetanoate	14024-18-1		
	m-Anisidine	536-90-3		
Inorganie Meta Complexes	Anode [Tetra Sodium Manganese (II) hexacyanide monohydrate]	Not reported		
(Electronic chemicals)	Cathode [Tetra Sodium Ferrous(II) hexacyanide decahydrate]	Not reported		

^{7.} The PP reported that there is no violation case as per the Notification No. S.O. 804(E) dated 14.03.2017 and no direction is issued under E (P) Act/Air Act/Water Act.

^{9.} The PP reported that there are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. lies within 10 km distance from the project site. Following water bodies are located in study area

									-
6	XI	Cancitiva	Ecological Name	of	feature	/Distance (~km)	Direction	Reason	of
5.	NO.	Sensitive	Leological, tame	٠.				Significance	
		Features	Locatio	11				Digiliteane	

^{8.} PP informed that the proposed project site does not fall in CRZ line and it is 0.609 km away from CRZ III line. PP has submitted CRZ demarcation map in 1:4000 scale prepared by IRS Anna University.

ī	Water	courses /	water	Bay of Bengal	1.89	15	Near to site with
1	bodies			Purayadaiyanar River	0.4	N	study area
				Arasalar River	7.28	N	
				Thirumalai Rajanar River	4.0	N	

- 10. There are 3 numbers of the Schedule-1 Species within 10 km distance from the project site. Names of Schedule-1 Species are Indian Monitor Lizard, Olive ridley turtle, Eurasian Spoonbill for which conservation plan is prepared and submitted to Chief Wildlife Warden.
- 11. The PP reported that the Ambient air quality monitoring was carried out at eight (8) locations during 1st July to 30th September, 2023 and the baseline data indicates the ranges of average concentrations as: PM₁₀ (minimum 72 g/m³ to maximum 78 g/m³), PM_{2.5} (minimum 17 g/m³ to maximum 21 g/m³), SO₂ (minimum 8.7 g/m³ to maximum 10.1 g/m³), NO₈ (minimum 13.6 g/m³ to maximum 19.4 g/m³), CO (minimum 0.75 g/m³ to maximum 0.96 g/m³) and HC (minimum 913 g/m³ to maximum 1051 g/m³). AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 8.503 g/m³, 0.122 g/m³ and 7.473 g/m³ with respect to PM₁₀, SO₂ and NO₃. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).
- 12. The PP reported that the total water requirement for proposed project will be 2409 KLD, of which fresh water requirement from the existing desalination plant will be 1279 KLD. 1115 KLD waste water will be generated from Industrial activity and it will be treated in the proposed ETP (Capacity: 2000 KLD) followed by recycling RO system and MEE with ATFD to achieve "Zero Liquid Discharge". 25 KLD Sewage will be generated and treated in the proposed STP (Capacity: 30 KLD). Treated Sewage will be used for horticulture purpose.
- 13. Power requirement for proposed project will be 500 kVA during construction phase and 5000 kVA during operation phase and will be met from Puducherry Electricity Department (PED). 2 DG sets of 2000 kVA will be used as standby during power failure. Stack (height: 30 m) will be provided as per CPCB norms to the proposed DG sets.
- 14. LSHS fired 40 TPH boiler and HSD fired 2,00,000 Keal/hr Thermic Fluid Heater will be installed in the proposed project. The stack of 40 m height will be installed for controlling the particulate emissions within the statutory limit of 75 mg/Nm³ for the proposed boilers.

15. Details of Process Emissions Generation and its Management:

			Proposed	d Flue Gas Stack		D. H. CARCM
Sr. No.	Source of Emission	No. of Stacks	Stack Height (m)	Stack Top Diameter (m)	Pollutant Expected	Detail of APCM
	DG Set (2000 KvA)	1	30	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
		 	30	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
2	DG Set (2000 KvA)	1	40	0.5	PM, SO ₂ , NO _X	Adequate Stack Height
	Boiler (40 TPH)	1	40	THE VENT OF TRUE		Adequate Stack Height
	Thermic Fluid Heater 2,00,000 Kcal/hr	1	10	0.5	PM, SO ₂ , NO _X	Adequate stack freight

S. No.	Stack number	Nos. of Stacks	Stack Height in m	Stack Top Diameter, m	Pollutants expected	Air pollution control measures
1	Scrubber-1	1	20	1	SPM, HCI, SOx, NOx	Two stage wet alkali scrubber with stack
2	Scrubber-2	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
3	Scrubber-3	1	20	1	SPM, HCl, SOx,	Two stage wet alkali scrubber

15	Scrubber-15		20		NH3, SOx, NOx,	with stack Wet scrubber with stack
14	Scrubber-14	T	20	- 1	HCN, SOx, NOx, SPM	Two stage scrubber with Sodium Hypo Chlorite and Caustic soda
13	Scrubber-13	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
12	Scrubber-12	l	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
11	Scrubber-11	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
10	Scrubber-10	ı	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
9	Scrubber-9	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
8	Scrubber-8	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
7	Scrubber-7	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
6	Scrubber-6	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
5	Scrubber-5	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
4	Scrubber-4	1	20	1	SPM, HCl, SOx, NOx	Two stage wet alkali scrubber with stack
	I		T		NOx	with stack

16. Details of Solid Waste / Hazardous Waste Generation and its Management:

A			So	lid Waste	
Sr.	Type of Waste	Source	Waste Category	Quantity	Disposal Method
. 101	Municipal Solid Waste	Canteen, Office blocks		Construction phase	Shall be segregated into wet and dry waste as per the Solid Waste Management Rules 2016 as amended from time to time. Wet waste shall be converted into compost at project site and compost shall be used as manure for the greenbelt development.
	Biomedical Wastes	On-site Occupational Health Centre	- -	As & when generated	Shall be handled as per the Bio-Medical Waste Management Rules, 2016 as amended from time to time
	Used Lead Acid Batteries	Company owned vehicles, other devices (such as UPS) being operated within the site		100% buyback scheme implemented at site. No waste generated due to this	Shall be handled as per the Batteries (Management & Handling) Rules, 2010 as amended from time to time.
	Electronic wastes	Entire Site	-	As & when generated	Shall be handled as per the E-Waste (Management) Rules, 2016 as amended from time to time
	Construction and Demolition (C&D) Wastes	Entire Site	-	As & when generated	Shall be handled as per the Construction and Demolition Waste Management Rules 2016 as amended from time to time
\dashv	Plastic wastes	Entire Site (Office blocks,	-	As & when	Shall be handled as per the Plastic waste

		Canteen etc.		generated	(Management & Handling) Rules, 2016 as amended
	Non-Hazardous metallic scrap, wooden & paper scrap	Entire Site		As & when generated	Sold to scrap dealers duly approved by the company
	DM plant spent	Demineralization (DM)		As & when generated	Sent to captive TSDF for disposal
	STP Sludge	Sewage treatment plant (of 30 KLD capacity)		2 MT	Will be used as manure for gardening
В.					
Sr.	Type of Waste	Source	Waste Category	Quantity	Disposal Method
10.	Contaminated Solvent	Production and/or industrial use of solvents.	20.1	7500 MT	Authorized recycler
	Distillation Residue	Production and/or industrial	20.3	1000 MT	Authorized common hazardous waste incineration facility
	Used or Spent Oil		5.1	50 MT	Authorized recycler re-processors.
	Chemical Sludge from Waste water	Purification of waste water in ETP.	35.3	12000 MT	Authorized common hazardous waste for land filling or to cement plants for co-processing.
	treatment Empty barrels contaminated with hazardous waste	Handling of hazardous chemicals and waste	33.1	50MT	Authorized recycler.
	Spent Catalyst / Carbon	Production	28.2	10MT	Authorized recycler.

- 17. The Budget earmarked towards the Environment Management Plan (EMP) is 1105.5 lakh (capital) and the Recurring Cost (operation and maintenance) will be about 650.0 lakh per annum. Industry proposes to allocate Rs 3.0 crore towards CER.
- 18. Industry will develop greenbelt in an area of 34% i.e., 10,705 m² out of total 31,485 m² area of the project.
- 19. The PP reported that PP reported that the public hearing is exempted as per the Para 7.III. Stage (3) (i) (b) of the EIA Notification, 2006 as unit is located in notified industrial area which is notified vide letter No. TRP/ CP/E1 /28/89 dated: 2.3.1990
- 20. The PP proposed to set up an Environment Management Cell (EMC) by engaging Functional Compliance Officers Strategic Business Unit Compliance Officers- Unit Head- Business head whole time director EHS Board of director for the functioning of EMC.
- 21. The PP submitted the Disaster Management Plan and On-site and Off-site Emergency Plans in the EIA report.
- 22. The estimated project cost is Rs 600.0 crores. Total Employment will be 20 persons as direct & 450-500 persons indirect during construction phase and 100-120 persons as direct & 175-200 persons indirect during operation phase.
- 23. PP vide letter dated 27.02.2024 submitted point wise ADS reply.

24. Deliberations by the EAC:

During deliberations, EAC discussed the following issues:

- · PP submitted the dimensions of rain water collection tank.
- PP submitted the undertaking regarding the greenbelt that PP propose to develop greenbelt in 10,705m² which is 34% of the total project area of 31,485 m². Around 2700 trees will be planted in 2 years at the capital cost of Rs. 9,45 Lakhs.
- · PP submitted the CER details

SI, No.	Activity	Village/Town Name	Budget Amount (Rs. in Crs.)
1.	Rooftop rain water harvesting with percolation well in Gov Buildings like Govt School, Anganwadi and Panchayat Office etc. Cost of one RWH tank of 15 KL capacity, filtration unit and structure of Recharge Borewell-Rs. 5 Lakh Total no.of units planned to be installed in the villages — 12 nos. Thus, Total cost =Rs. 5 Lakh * 12 nos.= 60 Lakh Timeline for completion: Sep-27	Panangudi, Vadakkuvanjore	(CT),0.6
	Rooftop solar panel Installation at Govt Buildings like Govt School, Anganwadi and Panchayat Office etc. Total 120 Kw of solar panels are planned to be installed in the villages Per KW cost of solar panel installation of Rs. 75,000/- Thus, total Cost=Rs. 75,000/- x 120 kw = Rs. 90 Lakh Timeline for completion: Sep-28	Panangudi, Vadakkuvanjore	(CT),0.9
	Providing infrastructure for "Resource recovery from waste	Panangudi, Vadakkuvanjore	(CT).0.9
	Community Tree Plantation at Govt School, Anganwadi and	Panangudi, Vadakkuvanjore	(CT).0.2
	Solar street lights for self-sustaining Green technology. 250 solar street lights of 100 Watt are planned to be provided in the nearby villages and road routes. Thus, total cost = 250 nos. x Rs. 15,000/- = Rs. 37,50,000/- + transportation cost = Rs. 40 Lakh	Panangudi, Vadakkuvanjore	0.4
	Fimeline for completion: Sep-28 ER Budget		3.0

[·] PP submitted the details of traffic study.

⁻ PP submitted the emergency scrubbing for chlorine transportation through pipeline.

Chlorine is one of the raw materials required for the proposed Custom Manufactured Chemicals project of Chemplast Sanmar Limited.

Chlorine required for the above project is supplied through pipeline.

The following are the measures that will be incorporated in Chlorine transfer:

- o Chlorine transportation in gaseous pipeline
- o Pipeline thickness will be monitored once in 6 months and hydro testing in once in a year.
- o Chlorine monitors will be installed in the pipeline route.
- o Pipeline will be connected to two stage scrubbing system with automated cut off valves that will be operated upon chlorine sensing value. Brief drawing attached.
- · PP submitted the details of retention period in biological system of ETP.
- · PP submitted the details of hazardous waste generated in ETP and ATFD:

Sr. No.		Source	Waste Category	Quantity	
	Chemical Sludge from Waste water treatment (ETP sludge)	Purification of waste water in ETP.	35.3		Authorized common hazardous waste for land filling at TSD or to cement plants for co-processing. The Committee suggested that PP shall check the purity an possibility of co-processing of ETP sludge otherwise the sam shall be disposed of at TSDF.
	Chemical Sludge from Waste water treatment (ATFD salt – low chloride salt)	Purification of waste water in ETP/MEE	35.3	(2) A 12 (1)	Authorized common hazardous waste for co-processing coment industry/fly ash brick manufacturing etc. The Committee suggested that PP shall check the purity an possibility of co-processing of ATFD salt – low chloride sa otherwise the same shall be disposed of at TSDF. The committee also suggested that ATFD salt shall not be used for co-processing and fly ash brick manufacturing.
	Chemical Sludge from Waste water treatment (ATFD salt)	Purification of waste water in ETP/MEE	35.3		Authorized common hazardous waste for land filling TSDF.

The committee was satisfied with the response provided by PP on above information. Further, Committee desired to submit the above information in writing. Accordingly, PP has submitted the desired information and EAC found the information/commitments satisfactory.

The EAC deliberated the Onsite and Offsite Emergency plans and also the various mitigation measures proposed during the implementation of the project and advised the PP to implement the provisions of the Rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, as amended from time to time.

The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC found the proposal in order and recommended for the grant of environmental clearance.

The EAC is of the view that its recommendation and grant of environmental clearance by the regulatory authority to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The PP shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

- 25. Based on the proposal submitted by the project proponent and recommendations made by EAC in its 77th EAC meeting on 14th March, 2024, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project "Proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited" under the provisions of the EIA Notification, 2006, and subsequent amendments therein, subject to specific terms and conditions as mentioned in Annexure -1 and Standard EC Conditions.
- 26. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
- 27. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- 28. The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
- 29. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
- 30. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 31. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 32. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 33. This issues with the approval of the Competent Authority

Copy To

- 1. The Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change Integrated Regional Office, 1st and IInd Floor, Handloom Export Promotion Council, 34, Cathedral Garden Road, Nungambakkam, Chennai 34.
- The Secretary, Department of Science, Technology & Environment, Govt. of Puducherry, III Floor, PHB Building, Anna Nagar (Near Indira Gandhi Statue). Puducherry - 605005.

- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 32.
- 4. The Member Secretary, Puducherry Pollution Control Committee (PPCC), 3rd Floor, Housing Board Complex, Anna Nagar, Puducherry 605 005.
- 5. The Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001.
- 6. The District Collector, Duplex St, Karaikal, Puducherry 609602.

Annexure 1

Specific EC Conditions for (Synthetic Organic Chemicals Industry)

1. Specific Conditions

S. No	EC Conditions				
1.1	Stack height of 40 m shall be provided to LSHS fired boiler 40 TPH and stack height of 10 m shall be provided to HSD fired TFH 2,00,000 Keal/hr as per CPCB norms. Position the DG set so that impact on receptor is minimal. Stack of adequate height shall be provided to DG set of 2000 KVA as per CPCB guidelines.				
1.2	Two stage water and alkali Scrubbers system shall be provided to control process emissions viz., H and SO ₂ . Two stage scrubber with Sodium Hypo Chlorite and Caustic soda along with stack of adequate height shall be provided to control process emission namely IICN. Wet scrubber along with stack adequate height shall be provided to control process emission viz. NH ₃ . The scrubbing media shall sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regula and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.				
1.3	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odour management plan shall be implemented.				
1.4	The total fresh water requirement from the existing desalination plant shall not exceed 1279m3/day.				
1.5	NOC from the concerned Authority shall be obtained before start of the construction of plant and drawing water from desalination water source. State Pollution Control Board shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.				
1,6	Industrial Effluent of waste water shall not exceed 1115 KLD. Effluent shall be treated in proposed ETF of Capacity: 2000 KLD) followed by RO system. High TDS effluent stream shall be treated though MEE followed by ATFD to achieve "Zero Liquid Discharge". 25 KLD Sewage will be generated from Domestic purpose shall be treated in Proposed STP (Capacity: 30 KLD) and further treated Sewage shall be used for horticulture purpose. Cyanide effluent treatment stream shall be treated in the dedicated treatment unit to ensure proper destruction of the cyanide, if any.				

S. No	EC Conditions			
	sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.			
1.16	The project proponent shall comply with the environment norms for 'synthetic organic chemicals' as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21st July, 2010 and Pesticide Industry vide GSR 446 (E), dated 13.6.2011 under the provisions of the Environment (Protection) Rules, 1986.			
1.17	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989; as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.			
1.18	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.			
1.19	PP shall provide adequate chlorine handling system with hood, suction device followed by scrubber and chlorine detector and alert system.			
1.20	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.			
1.21	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.			
1.22	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.			
1.23	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.			
1.24	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.			
1.25	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.			
1.26	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of			

S. No	EC Conditions				
1.7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.				
1.8	The green belt of at least 5 m-10m width shall be developed over an area of 10,705 m² (34% of the total project area) with tree density @ 2500 trees per hectares, mainly along the plant periphery. Indigenous species shall only be developed as part of greenbelt and non-indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 variety of species as a part of greenbelt. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.				
1.9	A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions by engaging Functional Compliance Officers - Strategic Business Unit Compliance Officers-Unit Head- Business head — whole time director EHS — Board of director . In addition to this, one safety & health officer as per the qualification given in Factories Act, 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.				
1.10	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP Rs. 1105.5 lakh (Capital cost) and 650.0 lakh per annum (Recurring cost)] shall be kept in a separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.				
1.11	All the hazardous waste shall be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or sent for coprocessing. Solid waste shall be segregated into dry and wet garbage at site in accordance to the Solid Waste Management Rules, 2016. Wet garbage shall be converted into compost and used as manure for greenbelt development.				
1.12	As committed, PP shall not manufacture banned pesticide.				
1.13	Monitoring of the compliance of EC conditions shall be submitted with third party audit every year.				
1.14	As proposed, an amount of 3.0 Crores lakhs shall be allocated towards CER.				
1.15	The PP shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon				

S. No	EC Conditions
	active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.
1.27	No banned chemicals shall be manufactured by the PP. No banned raw materials shall be used in the unit. The PP shall adhere to the notifications/guidelines of the Government in this regard.
1.28	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places.
1.29	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Chemicals shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
1.30	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority

Standard EC Conditions for (Synthetic organic chemicals industry)

i.

S. No	EC Conditions	
1.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
1.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	
1.3	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	
1.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment	

S. No	EC Conditions			
	(Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).			
1.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.			
1.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so carmarked for environment management/ pollution control measures shall not be diverted for any other purpose.			
1.7	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions representations, if any, were received while processing the proposal.			
1.8	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.			
1.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environmen (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.			
1.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.			
1.11	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.			
1.12	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to thi project.			

S. No.	Particulars	Details	
a.	Details of the Project	Environment Clearance for Proposed Project for Custom Manufactured Chemicals Division (CMCD) of Chemplast Sanmar Limited at Village Melavanjore, T. R. Pattinam, Karaikal, Puducherry UT by M/s. Chemplast Sanmar Limited	
b.	Latitude and Longitude of the project site	10.84349999953872,79.83643114346175 10.84542264965754,79.83795187286358	
		Nature of Land involved	Area in Ha
	Land Requirement (in Ha) of the project or activity	Non-Forest Land (A)	3.1485
c.		Forest Land (B)	0
		Total Land (A+B)	3.1485
d.	Date of Public Consultation	Public consultation for the project was held on	
e.	Rehabilitation and Resettlement (R&R) involvement	NO	
ſ.	Project Cost (in lacs)	oject Cost (in lacs) 60000	
y.	EMP Cost (in lacs)	1105.5	
h.	Employment Details	120	Sapara Janggara

Validity unknown
Digitally Signed by MIA N Singh
Member Secretary, MoEFCC (EC)
Date: 24/05/2024