

Chemplast Sanmar Limited

CSL/KKL/EN/MOEF&CC/2023/NOV/268 20 NOV 2023 Marine Terminal Facility Karaikal Plant:
Melavanjore Village T R Pattinam Panchayat
Nagore 611 002 India
Tel + 91 4365 256 475/ 476
E-mail: csl@sanmargroup.com
www.chemplastsanmar.com
CIN L24230TN1985PLC011637

√The Additional PCCF - Central

Ministry of Environment and Forests & Climate Change (MoEF&CC)
Regional Office (South Eastern Zone)
34, Cathedral Garden Road, HEPC Building
Nungambakkam, Chennai – 600034

Respected Sir/Madam,

<u>Subject:</u> Submission of Half-Yearly Compliance Status Report of the Environmental Clearance (EC) given by Ministry of Environment and Forests & Climate Change (MoEF&CC) -reg.

<u>Reference:</u> MoEF&CC EC/File No.: 10-57/2007-IA-III dated 13 AUG 2007 & Amendment dated 29 OCT 2021

With references to the above mentioned subject, please find the enclosed compliance status report to the conditions contained in the MoEF&CC's EC 'Laying pipeline at Karaikal by M/s. Chemplast Sanmar Limited' for the period from APRIL 2023 to SEPTEMBER 2023.

Thanking you and assuring our best cooperation always,

Yours faithfully, For Chemplast Sanmar Limited,

Senior Vice President – Operations

Enclosures: As mentioned above

Copy to:

The Member Secretary
Puducherry Pollution Control Committee
3rd Floor, PHB Building, Anna Nagar
Puducherry - 605005

Regd Office: 9 Cathedral Road Chennai 600 086 India

COMPLIANCE STATUS

Subject/Proposal name:

Laying pipeline at Karaikal by M/s. Chemplast Sanmar Limited

Reference:

MoEF&CC EC/File No.: 10-57/2007-IA-III dated 13 AUG 2007

PRESENT STATUS OF THE PROJECT

The said project namely 'Laying pipeline at Karaikal by M/s. Chemplast Sanmar Limited' is completed and in operation

Environmental safeguards and conditions:

#	Conditions by MoEF&CC	Compliance status
i	The recommendations of the Risk Assessment should be implemented	The recommendations contained in the Risk Assessment prepared by project authority through M/s. L&T Ramboll Consulting Engineering Limited submitted to the MoEF&CC for obtaining EC. All the recommendations configured in the risk assessment were implemented. The same is incorporated in the State Pollution Control Committee consent order
II	No storage facilities of the Caustic soda or Ethylene Di-Chloride should be located in the Coastal Regulation Zone area	Complied. No storage facilities are located in the CRZ area
iii	A detailed contingency plan in this regard should be submitted to Ministry of Environment & Forest within 3 months from the date of receipt of this letter	Complied
iv	Provisions/Measures to be provided within 3 months from the date of receipt of this letter	All the Provisions/Measures/Conditions contained in the EC Accorded by MoEF&CC vide Letter No.: 10-57/2007-IA-III dated 13 AUG 2007 are complied
V	All conditions stipulated in the clearance letter issued by Ministry of Environment & Forest vide Letter No.: 10(9)/2004-1A-III dated 23 AUG 2004 should be strictly adhered to	Noted and being complied



AMENDMENT IN ENVIRONMENTAL AND CRZ CLEARANCE

Subject/Proposal name:

Changing Caustic Pipeline diameter from 6" to 8"

Reference:

File No.: 10-57/2007-IA.III [Proposal No. IA/PY/NCP/226584/2021] dated 29 OCT 2021

PRESENT STATUS OF THE PROJECT

The said project namely 'Changing Caustic Pipeline diameter from 6 inch to 8 inch' is completed and in operation

#	Conditions by MoEF	Compliance status
5	All conditions mentioned in the EC and CRZ clearance	Agree to comply as mentioned above
	letter issued by MoEF&CC vide File No.: 10-57/2007-	
	IA-III, dated 13 AUG 2007 shall remain unchanged	

Site visits of Ministerial staff

The following table shows the details of site inspection of ministerial representatives so far:

#	Name of Ministerial staff	Date of site inspection
1	Dr. Suresh, Regional Director &	07 NOV 2019
	Ms. Anjana Kumari, Scientist -D	
	Central Pollution Control Board (CPCB), Bangalore	

Thanking you,

Yours faithfully, For Chemplast Sanmar Limited,

Senior Vice President – Operations